

LUITON

Talk To The Future

LT-888

PMR, 8 CHANNELS
SMART DESIGN
HIROSE CONNECTOR

Audio output 200mW, Aerial in handle, Built-in.

- 2W, Frequency 400-480MHz or PMR 8 Channels
- No Microphone, No Speaker, Hirose Connector
- CTCSS, DCS, VOX
- Battery: 1250mAh
- Function Lock Via Software
- Belt Clip On Back With Screws
- Using Hirose Connector
- Earphone & Spk-Mic's



LT-002

50 GROUPS
CTCSS+105
GROUPS DCS

Squelch 0-9 level adjustable
Channel space 12.5/25KHz

- Emergency alarm
- PC program
- Monitor
- Wire clone
- Auto battery save
- Low battery alert
- Squelch Tail Elimination (STE)
- Busy channel lockout
- TOT (Time Out Timer)
- Channel scan



www.luiton.com

www.luiton.en.alibaba.com

LUITON

Talk To The Future



LT-313

STANDARD & NONSTANDARD CTCSS CODE CAN BE SET

FM radio, wide screen frequency display
1200mAh/1800mAh Li-Ion battery for choice

- 12.5KHz/25KHz selectable
- Humanized menu design
- Busy channel lock out
- DTMF/ANI
- Selected call, single call, group call
- Remote kill, stun, activate & revive
- 136-174MHz, 400-480MHz, 5W
- Monitor, prior scan



LT-323

U-V, U-U & V-V
DUAL STANDBY MODE

136-174MHz, 400-480MHz & 450-520MHz, 5W
1200mAh/1800mAh Li-Ion battery for choice

- DTMF/ANI
- 12.5KHz/25KHz selectable
- Humanized menu design
- FM radio, wide screen frequency display
- Standard & nonstandard CTCSS code can be set
- Selected call, single call, group call
remote kill, stun, activate & revive
- Busy channel lock out
- Monitor, prior scan



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



DG-1080

Digital DPMR Radio
Noise suppression
Channel spacing 6.25KHz

Compatible with DG-1180
DG-M100 & DG-R1000

- Multi digital codes using for the transceiver
- 4 side-keys can be programmed
- High/Low voltage alarm
- Dual-pin for external microphone and earphone
- Built-in USB interface
- Support private call, group call and all call



DG-1180

SMS function
Digital DPMR Radio
Channel spacing 6.25KHz

Compatible with DG-1080
DG-M100 & DG-R1000

- Noise suppression
- Multi digital codes using for the transceiver
- Support private call, group call and all call
- 4 side-keys can be programmed
- 160 channels, 50 zones
- Roger beep and emergency alarm
- Dual-pin for external microphone and earphone



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



- Rugged, Compact Construction
- High Power Output (65W)
- Alphanumeric LCD And Illuminated Keypad
- Impressive Front Speaker
- Memory Name Function
- 200 Memory Channels Plus 1 Call-channel
- Multiple Scan Functions
- CTCSS & DCS Encoder/Decoder
- Weather Alert/RX (US Only)

LT-281A

65W POWER OUTPUT



- High RF Power Output (60W)
- Weather Alert/Rx (US Only)
- US MIL-STD 810 C/D/E/F
- Alphanumeric LCD And Illuminated Keypad
- DTMF Microphone
- High-quality Front Speaker
- 200 Memory Channels Plus 1 Call-channel
- Memory Name Function
- Multiple Scan Functions
- CTCSS & DCS Encoder/Decoder
- High Frequency Stability

LT-271A

60W POWER OUTPUT
ALPHANUMERIC LCD
AND ILLUMINATED KEYPAD



www.luiton.com

www.luiton.en.alibaba.com

LUITON

Talk To The Future

LT-318

AM/FM CB RADIO
PC PROGRAMMING
AUTO SCANNING

Big LCD display, Backlight selectable (Red, Green, Blue)
Dual channel standby

- High 8W or Low 4W power switchable
- Wide frequency 25-30MHz programmable
- ANL & ASQ function
- CH9/CH19 emergency channel



- Volume with power ON/OFF control
- TX/RX LED indication, Up/Down microphone
- Front microphone plug
- Jack for external speaker
- Manual Squelch, ANT Connector
- FREQ. expanding (A,B,C,D,E,F,POLAND and NZ band)

LT-278

IMPROVED VERSION ON
LT-268, BETTER PERFORMANCE
BETTER HEAT-RELEASE

4W RF power, 40 AM/FM channels

- Channel 9 and channel 19 switchable
- Mode AM/FM switch, RF gain control
- RSSI indication (4PCS LED indication)
- 2-Digit channel indication



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



136-174MHz & 400-470MHz
245MHz (Receive only)

- Voice Compand and Scrambler
- Multi silent mode (QT/QTADT/QTXT)
- 107 groups DCS/58 groups CTCSS
- DTMF encoding & decoding
- All calls, group calls and selective calls
- Monitor, RX inhibit, RXTX inhibit and Emergency Alarm
- FM Radio (87.5MHz-108MHz)
- Scan/Scan add
- Channel name editable

LT-898UV

DUAL RECEPTION
DUAL DISPLAY
PTT ID

LT-288

SMALL LCD SHOWS
CHANNEL NUMBER
& WORKING MODE

Standard & nonstandard CTCSS code can be set
Nice and fashion front case design

- Up to IP54 standard
- Anti-wrestling
- Channel spacing: 12.5KHz/25KHz
- High/Low Power Switchable
- Busy channel lock out
- Monitor, prior scan
- 136-174MHz, 400-470MHz, 5W
- 1200mAh Li-Ion battery



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



LT-558UV

DUAL BANDER
1+1 SMART CHARGER
VOX FUNCTION

Meets IP66 standards waterproof structure
Three-dimension protective structure

- Dual band, 96 channels, 5W
- Emergency Alarm Function
- TOT (Time-out timer)
- High/Low Power Switchable
- PC Programmable
- Channel spacing: 12.5KHz/25KHz
- 136-174MHz & 400-470MHz dual band
- CTCSS-50/CDCSS-105 • Channel Scan
- Busy Channel Lockout • Wire Clone



LT-558H

10WATTS HIGH POWER
LONGER DISTANCE COVER

136-174MHz or 400-470MHz professional two way radio
51 groups of CTCSS/214 groups of DCS

- 16 Channels
- 1500mAh Or 2600mAh Battery For Choice
- The Three-dimension Protective Structure
- Makes The Battery Connecting More Tighten
- Meets IP66 Standards Waterproof Structure
- CTCSS / DCS
- Time Out Timer
- VOX, Monitor
- High Power/Low Power Adjustable



www.luiton.com

www.luiton.en.alibaba.com

LUITON

Talk To The Future



Call prompting, emergency alarm
High/Low power output

- Scrambler
- Kill, Stun and revive
- Voice compander
- Multi scanning
- Large LCD display
- Busy Channel Locked (BCLO)
- Time-out Timer (TOT)
- PC programming

LT-998

CTCSS & DCS

DTMF / 5-TONE / 2-TONE



VHF 136-174, UHF 400-470MHz
128 channels

- Inspection, monitor, stun and kill function
- Audio compander, scrambler
- High/Low power output switchable
- Multi-scan mode
- Emergency alarm
- Busy channel lock out (BCLO)
- TOT Time-out timer (TOT)
- PC programmable

LT-990

CTCSS & DCS

DTMF / 5-TONE / 2-TONE



www.luiton.com

www.luiton.en.alibaba.com

LUITON

Talk To The Future



LT-9000

CTCSS & DCS
1750HZ TONE
2 TONE/5 TONE

Frequency/Channel scanning
High/Mid/Low power selectable

- 136-174MHz/245-245.9875MHz (220-260MHz)/400-480MHz
- VHF: 10W/25W/60W UHF: 45W/25W/10W
- 1750Hz Tone; ANI; Repeater offset shift
- Keypad lock function; Battery voltage display
- Contact book, TX inhibit; Channel name editing
- DTMF/2 tone/5 tone; Scrambler (Optional)
- Remote kill/stun/activate/revive
- Auto Power off
- VFO step setting: 5/6.25/10/12.5/20/25/50KHz



LT-2200H

65W POWER OUTPUT
DYNAMIC MEMORY SCAN

- Support UT-118
- Simple operation
- Dynamic Memory Scan (DMS)
- CTCSS and DCS operation standard
- Selectable squelch delay
- Built-in 10dB squelch attenuator
- DTMF code squelch and pager function
- with optional DTMF decoder, UT-108

24 DTMF autodial memories



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



- Fantastic Large and Flexible LCD Display
- Loads of APRS Flexibility
- Band Scope; Bluetooth Capabilities
- SmartBeaconing Included
- Cross-Band Repeat Capability
- 1200 / 9600 bps packet port (8-pin mini DIN)
- Listen to FM Broadcast Stations in Stereo
- DTMF Microphone Included
- 500 Independent Memory Channel Management Capability

LT-350AR
DTMF AUTODIAL
(MEMORY) WITH 16
DIGITS/9 MEMORIES

50 Watts of Reliable Power on both 2m and 70cm, 220MHz 1W (USA Version)



- Wide Frequency Coverage
- Independent Two-channel, Dual Receive And Full Duplex Operation
- Convenient Access To Wired And Other Internet-linking Systems
- Over 800 Memory Channels
- Large, Easy-to-read Liquid Crystal Display (LCD)
- One-touch Band-pattern "Hyper Memory" Feature
- Cross-band Repeat Capability
- Versatile Scanning Capability
- Arts™ (Auto-range Transponder System)
- Convenient Remote-head Mounting Capability
- Smart Search™ Automatic Memory Loading System
- Easy Setup For Fm Satellite Operation

LT-8900R
QUAD BAND OPERATION
BUILT-IN DUPLEXER
HIGH POWER OUTPUT

50-Tone CTCSS/104-Tone DCS
 (Digital Code Squelch) Tone Systems



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



- 25W Power Output
- Favorite Channel Function
- Aququake Draining Function
- Weather Channels and Weather Alert
- Large Easy to-See LCD, Scan Resume Timer
- 1meter Depth for 30 Minutes
- External GPS Receiver Function
- DSC Call Auto-answer Function
- TX: 156.025-157.425MHz
- RX: 156.050-163.275MHz

LT-M507

DUAL-WATCH AND TRI-WATCH
BUILT-IN DSC
IP67 STANDARD

Professional Marine Band & River Band radio



LT-M36

FLOAT AND FLASH
IP-X7 (1METER DEPTH
FOR 30 MINUTES)

Dual/Tri-watch Functions

- 3.7V Energy-saving Circuitry
- Easy to See Large LCD
- Built-in Regular Charger Circuitry
- 4-step Battery Life Indicator
- Tag Scan and Favorite Channel Functions
- Aququake Draining Function
- Auto Scan Function
- TX: 156.000-161.450MHz
- RX: 156.000-163.425MHz
- Power Output 5W/1W
- 1500mAh Li-Ion Battery



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



LT-298

SAME AS LEGEND II QUALITY
GOOD PERFORMANCE
GOOD HEAT-RELEASE

4W RF power, 40 AM/FM channels

- Set ASQ on Microphone
- Channel 9 and channel 19 switchable
- Mode AM/FM switch, RF gain control
- RSSI indication (4PCS LED indication)
- 2-Digit channel indication
- Volume with power ON/OFF control
- TX/RX LED indication, Up/Down microphone
- Front microphone plug
- Jack for external speaker
- Manual Squelch, ANT Connector
- FREQ. expanding (A,B,C,D,E,F,POLAND and NZ band)

LT-M35

FLOAT FUNCTION
DUAL / TRI-WATCH FUNCTIONS

Quick Channel Selection with
Favourite Channels Function


- IP-X7 (1meter Depth for 30 Minutes)
- Aquaquake Draining Function
- 70 Programmable Channels
- Call Channel Function
- Powerful 5W Output Power
- 4-step Battery Life Indicator
- 2-Step Power Saver
- Auto Scan Function
- Easy to See Large LCD



www.luiton.com
www.luiton.en.alibaba.com

LUITON

Talk To The Future



UV-3R

DUAL BAND POCKET RADIO
FM TRANSCEIVER WITH EXTENSIVE
RECEIVE FREQUENCY COVERAGE

50 CTCSS 104 DCS
99 Channels (1 Emergency Channel)

- Time-out Timer
- Key Tone, VOX
- FM Radio Built-in
- Call Tone (1750KHz)
- Squelch Set, Monitor
- Electronic Volume Adjusting (8 Level)
- Keypad Lock, Battery Save
- Backlight ON/OFF/Key
- Power Capacity Display (ON)
- Low Battery Alert
- Reset to Factory Default
- PC programming



UV-5R

128 CHANNELS
DUAL BAND POCKET RADIO

400-480MHz & 136-174MHz
51 groups of CTCSS/214 groups of DCS

- Dual Watch
- 5W Power Output
- Priority Channel Scanning
- VOX/FM Radio Built-in
- Emergency Alarm
- Call Tone (1750Hz)
- Battery Power Saving Function
- High Illumination Flashlight
- VOX, SCAN, MONITOR
- CTCSS, DCS



www.luiton.com
www.luiton.en.alibaba.com