



2009/2010 General Catalog

TTI makes difference

Brings world together



Downloaded from www.cbradio.nl



tti

CONTENTS

CB TRANSCEIVERS	04_ TCB-550
	05_ TCB-660
	06_ TCB-771
	07_ TCB-881
	08_ TCB-775
	09_ TCB-880H
	10_ TCB-1100
	11_ TX-410
CB ACCESSORIES	12_ Hands free THF-100/THF-100P
	13_ CB Antennas
	14_ External Speakers
	15_ DCDC-Converters
	16_ D i n - P l a t e s
CB FEATURE TABLE	17_ CB Feature Table
PMR 446 RADIOS	18_ PMR-121TX
	19_ PMR-506TX
	20_ TX L - 4 4 6
	21_ TX-1446P
LPD RADIOS	22_ WP1/WP1 TRIO
	23_ LPD-200
	24_ LPD-400
	25_ LPD-500
RECEIVERS	26_ TSC-3000R
	27_ TSC-100R
MARINE RADIO	28_ TX-150M
PMR/LPD FEATURE TABLE	30_ PMR/LPD Features
PMR/LPD ACCESSORIES	32_ Accessories

TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band(CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

Slim & Compact Auto Squelch Imbedded

Smallest sized, TCB-550 is equipped with the state-of-the-art technology of Auto Squelch, which works perfectly in the FM mode. A simple clicking of the squelch control will always lead you to the manual squelch mode.





TCB-550, specially, is designed with compact and slim concept, but still with powerful features including Multi-Band capabilities. Easy operation and space saving are another big advantages.

The combination of conventional black housing and big LCD with the blue illumination encompasses a wide range of advanced technology.

TCB-550

TCB-550 Features

- Multiple Bands
- 4 Watts Output Power
- AM/FM Operation
- Menu Mode
(Beep Tone On/ Off,TOT,Backlight Dimmer)
- Emergency Channel (9/19)
- Scan
- Keypad Lock
- Squelch Control (Auto / Manual)
- Blue Illumination
- Dimension (W x H x L) : 124 x 37 x 135mm



TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band (CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

DIN Size & Full Features

As it is DIN sized, TCB-660 is quite easily accepted to any locations like car audio compartment or anywhere in your car. The control keys of the microphone enhances your handiness controlling the transceiver.





TCB-660, like other TTI CB radios, has powerful full-features including Multi-Band and full 4W output power. But, still compact and simple design with easy operation keys and buttons. Whether you are using the TCB-660 in a truck, car, or at home, you will appreciate the ease of operation and excellent quality of communications.

Heavy-duty Microphone is including a long curl cord for easy operations. You may also choose handy, light-weight Microphone as an option.

TCB-660

TCB-660 Features

- Multiple Bands
- 4 Watts Output Power
- AM/FM Operation
- Menu Mode
(Beep Tone On/ Off, TOT, Backlight Dimmer)
- Emergency Channel (9/19)
- Last Channel Recall
- Scan
- Keypad Lock
- Remote Channel Up/Down
- Squelch Control
- External Speaker Connection Jack
- Blue Illumination
- Dimension (W x H x L) : 140 x 37 x 186mm



TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band (CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

Dynamic Squelch System ! Deluxe & Dual Voltage

As a sister unit of TCB-770, TCB-771 responds to the customer requirement for free connection to any power sources of vehicles this transceiver is used in.





TCB-771, along with Dual Voltage capability, will become a new market leader in the industry. TCB-771 has all the features and advantages of TCB-770 as well. Whether you are using the TCB-771 in a truck, car or at home, you will appreciate the ease of operation and excellent quality of communications.

TCB-771

● TCB-771 Features

- 12/24 Volt Input
- Multiple Bands
- 4 Watts Output Power
- AM/FM Operation
- Menu Mode
(Beep Tone On/Off, TOT, Backlight Dimmer)
- Emergency Channel (9/19)
- Scan
- Keypad Lock
- Remote Channel Up/Down
- External Speaker Connection Jack
- External S-Meter Connection Jack
- Quick Channel Up/Down
- Squelch Control
- DSS (Dynamic Squelch System)
- Blue Illumination
- Dimension (W x H x L) : 140 x 37 x 186mm



TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band(CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

TTI
2009

Dynamic Squelch System! Professional & Dual Voltage

As a sister unit of TCB-880, TCB-881 responds to the customer requirement for free connection to any power sources of vehicles this transceiver is used in.



TCB-881



TCB-881, along with Dual Voltage capability, will become a new market leader in the industry.

TCB-881 has all the features and advantages of TCB-880 as well. Whether you are using the TCB-881 in a truck, car, or at home, you will appreciate the ease of operation and excellent quality of communications.

The combination of conventional black or silver housing and blue illumination encompasses a wide range of advanced technology.

• TCB-881 Features

- 12/24 Volt Input
- Multiple Bands
- 4 Watts Output Power
- AM/FM Operation
- Menu Mode
(Beep Tone On/Off, TOT, Backlight Dimmer)
- Emergency Channel(9/19)
- Scan
- Keypad Lock
- Remote Channel Up/Down
- External Speaker Connection Jack
- External S-Meter Connection Jack
- Quick Channel Up/Down
- CB/PA Selection
- Dual Watch
- ANL
- MIC Gain Control
- RF Gain Control
- Local/DX Selector
- 4 Memory Buttons
- Squelch Control
- DSS (Dynamic Squelch System)
- Blue Illumination
- Dimension (W x H x L) : 156 x 51 x 176mm



TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band(CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

Deluxe & 10 W

The TCB-775 is the CB Transceiver that you must choose if you are experiencing a difficulty communicating in a metropolitan area. This guarantees clear audio and microphone in a congested area surrounded by a lot of buildings and vehicles.





TCB-775 LIBERTA, in addition to all the excellent features and functions of TCB-770, has 10W output power. Longer communication range will be another satisfactory benefits for your easy-touch.

TCB-775

• TCB-775 Features

- Multiple Bands
- High Output Power (FM 10W)
- AM/FM Operation
- Menu Mode
(Beep Tone On/Off, TOT, Backlight Dimmer)
- Emergency Channel(9/19)
- Last Channel Recall
- Quick Channel Up&Down
- Scan
- Keypad Lock
- Remote Channel Up/Down
- External Speaker Connection Jack
- External S-Meter Connection Jack
- MIC Gain Control
- RF Gain Control
- Squelch Control
- Blue Illumination
- Dimension (W x H x L) : 140 x 37 x 186mm



TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band(CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

TTI 2009

Professional & 25W

TCB-880H provides maximum in features and power. This results in guaranteeing clear communication wherever you are. Enjoy the best combination of power and features.





TCB-880H, in addition to all the excellent features and functions of TCB-880. has MAX Power of 25W. Longer communication range will be another satisfactory benefits for your easy-touch.

TCB-880H

• TCB-880H Features

- Multiple Bands
- High Output Power (FM 25W)
- AM/FM Operation
- Menu Mode (Beep Tone On/Off,TOT,Backlight Dimmer)
- Emergency Channel(9/19)
- Scan
- Keypad Lock
- Remote Channel Up/Down
- External Speaker Connection Jack
- External S-Meter Connection Jack
- Quick Channel Up/Down
- CB/PA Selection
- Dual Watch
- ANL
- MIC Gain Control
- RF Gain Control
- Local/DX Selector
- 4 Memory Buttons
- Squech Control
- Blue Illumination
- Dimension (W x H x L) : 156 x 51 x 176mm



TTI MULTI BAND CB-RADIO SERIES

The new Citizen Band(CB) Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology in terms of design, features and performances.

tti
TTI 2009

10 W & Front Speaker with Tones Installed

Why should we endure the mumbled audio sound generated from the bottom sides of the conventional CB transceivers? The front installed speaker delivers you better and clearer audio sound. You could take your partners to where there is no traffic by a tone selection, which is amazing.





TCB-1100, TTI's flagship model, has new design concept with Front Speaker, Full DIN-Size, CTCSS, VOX, and many other amazing features. You can experience many operations that have never been tried in any CB radio before; Voice back-up channel selection, changeable backlighting color, tone selection, compander selection and etc.,

TCB-1100

• TCB-1100 Features

- 4W or 10W Version
- Multiple Bands
- AM/FM Operation
- Menu Mode
(Beep Tone On/Off, TOT, Backlight Dimmer)
- Emergency Channel (9/19)
- Memory
- Last Channel Recall
- Scan & Scan Memory
- Remote Channel Up/Down
- External Speaker Connection
- External S-Meter Connection
- Channel Up & Down
- Quick Channel Up/Down
- MIC Gain Control
- RF Gain Control
- Dynamic Squelch System
- Dual Watch
- VOX
- Tone Selection
- Compander Circuit Selection
- Backlight Selection
- Selection of In-dash Mounting or Bracket Mounting
- Dimension (W x H x L) : 140 x 37 x 186mm



TTI VHF LOW BAND TRANSCEIVER

The new VHF Low-Band Transceiver Radio from TTI set remarkable new standards in the industry with its SMT and the most updated technology and quality performances.

TTI 2009
tti

20 Watts

This will be a real best buy for anybody who likes to be a practical investor. A good question will be emerged once this transceiver is tried, why more money should be paid for.




TX-410 is the ideal VHF Low-Band Mobile Radio for reliable communications in the vehicles by combining the key requirements of high-end users : reliability, durability, functionality and performance. no other compact VHF Low-Band Mobile Radio can deliver so much versatility and functionality with its affordable budget.

BACKLIGHTED FREQUENCY READ-OUTS WITH CHANNEL DISPLAY

Well sized and backlighted frequency Read-outs enhances the vision and helps finding where you are.

TX-410



● TX-410 Features

- 41-48 MHz Band
- PC Programmable
- 12.5 KHz / 25 KHz Step
- Menu Mode
- 256 Channel Capacity
- CTCSS Tone Capability
- 4 Memory Channels
- 20 Watts Output Power
- Scan / Scan Memory
- 4 Memory Channels
- Keypad Lock
- Squelch Control
- Frequency Read-outs
- Monitor
- Dimension (W x H x L) : 140 x 37 x 230mm

TTI HANDS FREE SYSTEM

The Handsfree system for CB Radio and Land Mobile Radio offers the reliability of performance with refined cosmetic design. The microprocessor controlled functions are quite punctual and well operative. It goes well with any CB brands.

tti
TTI 2009




A good match with any CB !

THF-100 & THF-100P, along with its compact design controlled by the most updated micro-processor technology, enables you to enjoy easy and comfortable operation. Drive fun with TTI Handsfree !

Handsfree THF100/THF100P

● THF-100/THF-100P Features

- Electrically Controlled
- Handsfree On/Off
- Time Out Timer - 1,2,3, Minutes
- TX & RX LED
- Sensitive Microphone
- Long Enough Connection Wire
- Dimension (WxHxD) : 40 x 110 x 19.5 mm



TTI CB ANTENNA SERIES

TTI supplies the most suitable antennas for TTI transceivers and also for other brands.



● CB-145

● CB-009

● CB-X14

● CB-024

● CB-030

CB Antennas

● Antenna Specifications

MODEL	Freq.	Gain	Vsw1	Power	Impedance	Connector	Cable	Length	Weight	Plug
CB-145	26-28MHz	4 dB	< 1.1 : 1	500 W	50 ohm	M	RG58U, 4meters	153 cm	230 g	PL 259
CB-009	26-28MHz	4 dB	< 1.1 : 1	500 W	50 ohm	M	RG58U, 4meters	160 cm	300 g	PL 259
CB-X14	26-28MHz	4 dB	< 1.5 : 1	500 W	50 ohm	M	RG58U, 4meters	88 cm	500 g	PL 259
CB-024	26-28MHz	4 dB	< 1.5 : 1	500 W	50 ohm	M	RG58U, 4meters	71 cm	300 g	PL 259
CB-030	26-28MHz	4 dB	< 1.5 : 1	500 W	50 ohm	M	RG58U, 4meters	64 cm	300 g	PL 259

● Magnet Specifications

MODEL	Cable	Connector	Diameters	MODEL
M-1303	RG-58U	PL 259	140 mm	CB-145
M-1307	RG-58U	PL 259	115 mm	CB-X14
CBM0924	RG-58U	PL 259	89 mm	CB-024
CBM-030	RG-58U	PL 259	100 mm	CB-030

TTI EXTERNAL SPEAKER

TTI Supplies the most suitable external speakers for TTI transceivers and for other bands.

tti
TTI 2009



TTI-225


External Speakers

External Speaker Specifications

	MODEL	Speaker	Power	V.C.IMP	Freq.	Size	Weight
TTI-6S		2 1/4 "	5 W	4/8 ohm	600-4.5 KHz	86 x 69 x 48	200 g
TTI-18S		2 1/4 "	5 W	4/8 ohm	320-4.5 KHz	83 x 54 x 76	200 g
TTI-20S		2 1/2 "	5W	4/8 ohm	600-4 KHz	105 x 105 x 55	175 g
TTI-21S		4"	5W	4/8 ohm	300-4.5 KHz	450 x 22 x 80	390 g
TTI-22S		3.5"	6W	4/8 ohm	300-4.5 KHz	130 x 55 x 70	320 g
TTI-23S		3"	6-8W	5 ohm	250-8 KHz	110 x 40 x 95	306 g


TTI DC-DC CONVERTER

TTI Supplies the most suitable DC-DC Converters for TTI transceivers and for other bands.




TDC-15A


DCDC-Converters




● TDC-10A



● TDC-5A



● TDC-15A



● TDC-20A


● DC-DC Converter Specifications

MODEL	TDC-5A	TDC-10A	TDC-15A	TDC-20A
Input Voltage	18V-32V	18V-32V	18V-32V	18V-32V
Output Voltage	12V ± 5%	12V ± 5%	12V ± 5%	12V ± 5%
Output Current	5 A	10 A	15 A	20 A
Max. Efficiency	> 90%	> 90%	> 90%	> 90%
Voltage Ripple	< 120mV	< 120mV	< 120mV	< 120mV
Voltage Stop	14V ± 0.5V	14V ± 0.5V	14V ± 0.5V	14V ± 0.5V
Protect Temperature	50°C ± 20%	50°C ± 20%	50°C ± 20%	50°C ± 20%
Volume	82 x 89 x 47	104 x 89 x 47	142 x 89 x 47	182 x 89 x 47
Weight	0.4 Kg	0.5 Kg	0.6 Kg	0.8 Kg

TTI CB DIN-PLATE SERIES

TTI supplies rigidly designed and durable DIN-PLATE for TTI transceivers and also for other brands.

tti
TTI 2009



Din-Plates

• Din-Plate Dimensions

	DIMENSION		CB MODEL
TDP-3000			Din-Plate for TCB-880/881
TDP-2000			Din-Plate for TCB-660/770/770H/771/775
TDP-1000			Din-Plate for TCB-550

CB FEATURE TABLE

TTI CB FEATURE TABLE

Model List Up	TCB-550	TCB-660	TCB-771	TCB-881	TCB-775	TCB-880H	TCB-1100	TX-410	REMARK
Multi Band	x	x	x	x	x	x	x	256 Chs.	
Output Power	4W	4W	4W	4W	10W/4W	25W/4W	10W/4W	20 W	
LCD Display	x	x	x	x	x	x	x	x	
MIC. Jack	x	x	x	x	x	x	x	x	
Microphone	x	x	x	x	x	x	x	x	
On/Off, Volume Control	x	x	x	x	x	x	x	x	
Squelch Control	Auto & Manual	Manual	Manual	Manual	Manual	Manual	Auto & Manual	Manual	
Channel 9/19	x	x	x	x	x	x	x	-	
AM/FM	x	x	x	x	x	x	x	-	
Scan	x	x	x	x	x	x	x	x	
Band Selection	x	x	x	x	x	x	x	-	
Antenna Jack	x	x	x	x	x	x	x	x	
Ext. Audio Jack	x	x	x	x	x	x	x	x	
Back Lighting	x	x	x	x	x	x	x	x	
12V/24V	12V/24V	12V	12V-24V	12V-24V	12V	12V	12V/24V	12V	
Speaker Location	Down	Down	Down	Down	Down	Down	Front	Down	
Menu Mode	x	x	x	x	x	x	x	x	Scan Delay Time / Back Light / Dimmer & Others
Microphone keys	-	Up/Down/Lock	Up/Down/Lock	Up/Down/Lock	Up/Down/Lock	Up/Down/Lock	Up/Down/Lock	-	
RF Gain Control	-	-	-	-	-	x	-	-	
MIC Gain Control	-	-	-	-	-	x	-	-	
Quick Up/Down	-	-	Rubber Button	80	Rubber Button	Rotary Switch	Rubber Button	-	
LCR	-	-	x	x	x	x	x	-	
S-Meter Jack	-	-	x	x	x	x	x	-	
Channel Memory	-	-	-	x	-	x	x	x	
Dual Watch	-	-	-	x	-	x	x	x	
PA Jack	-	-	-	x	-	x	x	-	
CB/PA Selector	-	-	-	x	-	x	-	-	
ANL/Off Selector	-	-	-	x	-	x	-	-	
Local/DX Selector	-	-	-	x	-	x	-	-	
Tone Channel	-	-	-	-	-	-	x	x	38 CTCSS
VOX	-	-	-	-	-	-	x	-	
Frequency Readsouts	-	-	-	-	-	-	-	x	
Channel Spacing	-	-	-	-	-	-	-	x	12.5/25KHz
PC Programmable	-	-	-	-	-	-	-	x	

TTI PMR 446 RADIO SERIES

TTI PMR 446 Radio series always offers differences in design, quality and performance. This is already market proven by years of customer interface and feedback.

PMR-121TX

Compact But Versatile

The new PMR-121TX with its compact elegant design but full features like CTCSS, VOX, SCAN, and many others, is truly affordable PMR-446 radio in the world. In addition, it has excellent quality touch to satisfy the consumer radio users for many years.

Menu Driven feature selection makes PMR-121TX very user friendly and allows the users to quickly set up their choices of functions.

PMR-121TX Features

- 8 Channels
- 38 CTCSS
- VOX Mode
- Scan
- Battery Status Indicator
- Call Ringer (3 kinds)
- Roger Beep Tone On/Off
- Button Beep (Keytone) On/Off
- Keypad Lock
- LCD Back Lighting
- Fixed Antenna
- External Speaker, MIC, Chg. Jack
- Desk Top Charger : Dual

Compact Giant



ACCESSORIES



<TCG-1008>
Dual Charger Cradle



<TCG-1001S>
Power Adaptor



<AES-4211S/P>
Earset



<TBP-1006>
Battery AAA x 3

TTI PMR 446 RADIO SERIES

TTI PMR 446 Radio series always offers differences in design, quality and performance. This is already market proven by years of customer interface and feedback.

PMR-506TX

INTERCOM for Motorbikes



PMR-506TX with its aluminum metal cabinet and frame has excellent pocket-sized, but full-featured design in this slim and sleek shape.

A great range of radio features are supplemented with an internal Li-ion battery, able to deliver more than 8 hours operation in normal condition. Also, it comes with a twin unit intelligent charger.

PMR-506TX Features

- 500 mW
- 8 Channels
- 38 CTCSS
- Intercom
- VOX on/off
- Beep Tone
- Call
- Scan
- Monitor
- Room Monitor
- Smart Charger

ACCESSORIES



<AES-4211 TRS/TTRS>
Earset



<TCG-1001>
Power Adaptor

TTI PMR 446 RADIO SERIES

TTI PMR 446 Radio series always offers differences in design, quality and performance. This is already market proven by years of customer interface and feedback.

TXL-446PM



**PC
Programmable**

● PC Programmable Capacity

The new TXL-446 is the ideal for both commercial and consumer use with its PC programmable capability of channels as you may need various different requirement of usage.

● Long Battery Life

High capacity AAx3 NiMH battery can deliver more than 15 hours operation between chargers. Quick charging(4-5 hours) is available.

● Smart Charging System

Each radio is supplied with an intelligent desktop charger.

● Flexible Rubber Antenna

Soft and flexible antenna with high quality elements offers easy-carry.

● TXL-446 Features

- PC Programmable
- 28 Channels (8 Fixed + 20 Programmable)
- 38 CTCSS + 104 DCS
- More than 15 Hour's Battery Life
- Rotary Volume Switch
- Scan
- VOX
- Call
- Monitor

● ACCESSORIES



<AES-4212TTRS>
Earbud



<AMC-3010R>
Speaker Microphone



<TCG-1007SQ>
Charging Cradle



<TCG-1007SM>
Power Adaptor

tti
TTI 2009

TTI PMR 446 RADIO SERIES

TTI PMR 446 Radio series always offers differences in design, quality and performance. This is already market proven by years of customer interface and feedback.

TX-1446P

TTI 2009

IP 54

The new TX-1446P is the ideal for reliable communications in the toughest environment with its proven IP54 structures.

Menu Driven System as well as PC Programming

Easy to operate and highly adaptable, through the use of a menu driven configuration system as well as pc programmable function.

Smart Charging System

Each radio is supplied with an intelligent desktop charger. (Semi Quick Charger)

Compact, Handy Design, but Rugged

No other compact commercial PMR446 Radio can deliver so much versatility and functionality in this compact and handy size. This it also rugged and meeting military standard.

TX-1446P Features

- PC Programmable
- 8 Channels
- 50 CTCSS + 104 DCS
- More than 16 Hour's Battery Life
- Li-ion Battery (1000mAh)
- Rotary Volume Switch
- Rugged, Impact-Resistant Construction
- IP54 Water Resistant
- Semi-Quick Charger (4~5 hours)
- MIL-Standard 810,C,D,E&F

IP54 & PC Programmable



ACCESSORIES



<AES-4212TTRS>
Earbud



<AMC-3010R>
Speaker Microphone



<TCG-1006SQ>
Charging Cradle



<ACG-3312L>
Car Adaptor

TTI LPD RADIO SERIES

LPD is another field of TTI's interest. Even these are similar to PMR-446 radios, LPD radios need efficient power control technology leads TTI LPD radios to the top class in this category.

WP1/WP1 Trio

• Tourist Radio

This is what tourists need, what guide needs. Tourist never miss their team and groups. Guides never worry about careless followers, who might go astray. No more shout !

• WP1 / WP1 Trio Features

- Long Battery Life (More than 30 hours)
- Optional Multi Charger System
- Group Indication Channel
- High Visibility Display
- Multiple ISM Bands



PMR WPI



WPI TRIO

• ACCESSORIES



<TBP-1007>
Battery (AA x 3)



<AES-4213>
Earphone



<AES-5015/T>
Carrying Case



<TSC-WP1/Trio>
Suitcase Multi Charger

TTI LPD RADIO SERIES

LPD is another field of TTI's interest. Even these are similar to PMR-446 radios, LPD radios need efficient power control technology to manage the output power better.

TTI's experience proven technology leads TTI LPD radios to the top class in this category.

LPD-200

● Loud & Long Lasting

LPD-200TX loud speaker works clearly in any environmental that needs loud audio sound such as shopping malls, clubs and any open fields.

The 4.8V battery power system guarantees constant full output power and long lasting time between recharging.

● LPD-200 Features

- 2 W
- 69 Channels
- 38 CTCSS
- VOX on/off
- Beep Tone
- Roger Beep
- Call
- Scan
- Monitor
- Desktop Charger

Accessory Fully Equipped



● ACCESSORIES



<AES-4211TTRS>
Earbud



<TBP-1001>
Battery (AAA x4)



<TCG-1003S/T>
Single & Dual Charging Cradle



<TCGA-1001>
Power Adaptor

TTI LPD RADIO SERIES

LPD is another field of TTI's interest. Even these are similar to PMR-446 radios, LPD radios need efficient power control technology to manage the output power better. TTI's experience proven technology leads TTI LPD radios to the top class in this category.

LPD-400



Quick Charging System

Constant use of high power mode definitely requires ability to quickly re-charge the radio.

TTI's MCU controlled Smart & Quick charging system enhances the battery charging efficiency as well as battery life time itself.

LPD-400 Features

- 4W
- Compass
- Replaceable Antenna
- 69 Channel
- 38 CTCSS
- VOX on/off
- Beep Tone
- Call
- Scan
- Monitor
- Desktop Charger (Semi-Quick)



ACCESSORIES



<TBP-1004/1004T>
Charging Cradle



<ACE-5020>
Carrying Case



<AES-4211TTRS>
Earset



<TCGA-1004SM>
Power Adaptor



<ACG-3311H>
Car Adaptor

TTI LPD RADIO SERIES

LPD is another field of TTI's interest. Even these are similar to PMR-446 radios, LPD radios need efficient power control technology to manage the output power better. TTI's experience proven technology leads TTI LPD radios to the top class in this category.

LPD-500



Maximum Power Operation


This radio support the maximum power of full 5W and keep the constant power without power drop. This is the best choice for wild outdoor environment.

LPD-500 Features

- 5W
- Replaceable Antenna
- 69 Channel
- 38 CTCSS
- VOX on/off
- Beep Tone
- Call
- Scan
- Monitor
- Desktop Charger (Semi-Quick)



ACCESSORIES



<TBP-1004/1004T>
Charging Cradle

<ACE-5020>
Carrying Case

<AES-4211TTRS>
Earset

<TCGA-1004SM>
Power Adaptor

<ACG-3311H>
Car Adaptor

TTI WIDEBAND RECEIVER

TTI's Receivers are capable enough to surprise expert as well as ordinary users, equipped with easy accessible keypad layouts, powerful memory and recall system.

TSC-3000R

Totally
Versatile



Capacity expandable bank system support variety of customer needs. Harmonized automatic and manual setting combination facilities its operation. Compact size associated with the light weight and high capacity Li-ion battery pack makes possible the whole day outdoor activity.

● TSC-3000R Features

- Wideband up to 1,309MHz from 150KHz
- 1300 Memory Units
- 40 Expandable Manual Memory Banks
- 2 Automatic Memory Banks
- 1 Limited Search Memory Bank
- 1 Dual Watch Bank
- Well Defined Menu System in VFO Mode and in Memory Mode
- Cloning Function
- High Quality Audio Sound with 32 steps of Volume Adjustment
- Desktop Charger
- High Capacity(1900mAh) Li-ion Battery Pack

● ACCESSORIES



<TAN-1040>
Antenna



<AES3220>
Earphone



<TCG-1006L>
Charging Cradle



<TBP-1194L>
Battery Pack

TTI NEW RECEIVER

TTI's Receiver are capable enough to surprise expert as well as ordinary users, equipped with easy accessible keypad layouts, powerful memory and recall system.

TSC-100R

Focused on Air band, VHF band, Low band(66-88MHz) and WFM Broadcast band, this narrow band receiver prides itself of exceptionally high sensitivity combined with harmonious audio sound. Simplified function adds to its convenience of use. Clear vision of buttons and large LCD helps the Operation. Inter-changeable use of rechargeable batteries and dry cells enhances the mobility.

TSC-100R Features

- 66-88MHz, 88-108MHz, 108-136MHz, and 138-174MHz
- Bluetooth Operation (optional) Accessories
- 10 Memory Banks
- 200 Channel Memories
- Cloning
- Various Frequency Steps
- Desktop Charger (Optional)
- Replaceable Antenna
- High Quality Loud Speaker

ACCESSORIES




<TAN-1042>
Antenna



<AES3220>
Earphone



<TCG-1007F>
Charging Cradle



<TBP-1001>
Battery Pack



TTI MARINE RADIO

This model is most simplified but highlights indispensable features that offer user convenient environment. The performance is also maximized.

TX-150M

TTI's new radio emphasizes on the extra big sized super-bright LCD. Combined with translucent backlighting buttons arrayed in the center, the radio prides itself on its splendid appearance in combination of green, white and black colors. Super flexibility of the antenna adds the convenience as well as the safety enhancement. Despite water-proof nature and ruggedness, this radio never loses in design and compactness combining TTI's up-to-date technology and high capacity Li-ion Battery.

● TX-150M Features

- Waterproof (IP54)
- Power High / Low (4W/1W)
- Super-Bright Green Backlight LCD
- Auto Squelch
- Scan Function
- Direct Access to CH16
- Dual Watch
- Triple Watch
- Priority CH Scan
- Key Lock
- USA/INT'L/CANADA CH
- WX Alert (USA/CANADA)
- Loud Speaker
- External Standard Two Pin Jack
- Super Flexible and Replaceable Antenna
- Li-ion Battery Pack

*Extra Channels
for Each Country*



● ACCESSORIES



<TCGA-1007SM>
Power Adaptor



<AMC-3010RS>
Speaker Microphone



<TCG-1006SQ>
Charging Cradle



<TBP-1107L>
Battery Pack

TTI

Hand-Held RADIO

TTI makes difference Brings world together

www.ttikorea.co.kr



PMR-446 Radio

"TXL-446PM"

Long Battery Life & PC Programmable



Marine Radio

"TX-150"

Extra Channels For Each Country



PMR-446 Radio

"TX-I446P"

IP54 & PC Programmable



Wide-Band Scanner

"TSC-3000R"

Totally Versatile



PMR-446 Radio

"PMR-I2ITX"

Compact Giant



PMR/LPD FEATURE TABLE

PMR/LPD FEATURE TABLE



Model Line Up		PMR-121TX	PMR-506TX	TXL-446PM	TX-1446P
Frequency		446MHz	446MHz	433/446 MHz	433/446 MHz
Channel		8	8	8 / 69	128
Output Power		500mW	500mW	500mW / 2W	4V / 500mW
Battery		AAA x 3	Li-ion	Li-ion	Li-ion
Dimensions (HxWxD)		84 x 49 x 28.3 mm	88 x 54 x 14.8 mm	109 x 56 x 30 mm	98 x 63 x 31 mm
Battery Life (Hours, 5:5:90)	Ni-MH	9	-	13	-
	Li-ion	-	10	-	8
CTCSS		38	38	38	38 / 50
DCS		-	-	104	88 / 104
Roger Beep (on/off available)		x	x	x	x
Antenna		Fixed	Fixed	Fixed / Replaceable	Replaceable
Power High / Low		-	-	x	x
Scan		x	x	x	x
Dual Watch		-	-	x	x
Triple Watch		-	-	-	-
Monitor Key		-	x	x	x
LCD Backlighting		x	x	x	x
Built-in speaker		x	x	x	x
Power on/off		Electrical	Electrical	Rotary Knob	Rotary Knob
Volume Up/ Down		x	x	Rotary Knob	Rotary Knob
CALL Sound		3 kinds	3 kinds	5 kinds	5 kinds
VOX		1 step	2 steps	3 Steps	5 Steps
Intercom		-	x	-	-
Squelch Adjustment		-	-	x	x
Key Tone (fixed always on)		On / Off	On / Off	On / Off	On / Off
Key Lock		x	x	x	x
External Charging		Twin Charger	Twin Charger	Semi Quick Charger	Semi Quick Charger
Auto Power Save		x	x	x	x
SPK/MIC Jack		2.5 phi	3.5 phi	2 pin Standard	2 pin Standard
Cloning		-	-	-	x
PC Programmable		-	-	x	x
Extra Channel Selection		-	-	-	-

PMR/LPD FEATURE TABLE

PMR/LPD FEATURE TABLE



WP1 & WP1TRIO	LPD-200	LPD-400	LPD-500	TX-150M
470MHz / More	433MHz	433MHz	433MHz	VHF Marine
80 / More	69	69	69	55
100mW / 100mW	2 W	4 W	5 W	4 W
AA x 3	AAA x 4	AAA x 5	AAA x 5	Li-ion
81 x 49.8 x 33 mm	93 x 57 x 28.4 mm	101 x 60 x 29 mm	101 x 60 x 29 mm	112 x 62.5 x 30 mm
30	9	8	8	-
x	-	-	-	8
x	38	38	38	-
x	-	-	-	-
x	x	x	x	x
Fixed	Fixed	Replaceable	Replaceable	Replaceable
-	x	x	x	x
-	x	x	x	x
-	-	x	x	x
-	-	-	-	x
-	x	x	x	x
x	x	x	x	x
x	x	x	x	x
Electrical	Electrical	Electrical	Electrical	Rotary Knob
x	x	x	x	Rotary Knob
-	1 Fixed	5 Kinds	10 Kinds	-
-	1 Step	3 Steps	3 Steps	-
-	-	-	-	-
-	-	x	x	x
-	x	On / Off	On / Off	On / Off
x	-	x	x	x
Wall/Suitcase Charger	Twin Charger	Twin Charger	Twin Charger	Semi Quick Charger
x	x	x	x	x
3.5 phi	3.5 phi	3.5 phi	3.5 phi	2 Pin Standard
-	-	-	-	-
Dependent on versions	-	-	-	x
-	-	-	-	x

PMR/LPD ACCESSORY LIST

	PMR-121TX	PMR-506TX	TXL-446PM	TX-1446P	WP1 & WP1TRIO
Earset	 AES-4211/4211SP	 AES-4211/4211TRS/4211TTRS	 AES-4212TRS / 4212TTRS	 AES-4212TRS / 4212TTRS	 AES-4213 / AMC-3012(MIC)
Speaker Microphone	X	X	 AMC-3010R	 AMC-3010R	X
Car Adaptor	 ACG-3311S / 3311SP	 ACG-3311	 ACG-3313L	 ACG-3312L	X
Charger Cradle	 TCG-1008	 TCG-1012	 TCG-1007SQ / 1007DSQ	 TCG-1006SQ	 TSC-WP1/TRIO (Suitcase Charger)
Power Adaptor	 TCGA-1001TS / 1001S	 TCGA-1001	 TCG-1007SM	 TCG-1007SM	 TCGA-1001SM
Battery	 TBP-1006 (AAA x 3)	 TBP-1004	 TBP-1007 (AA x3)	 TBP-1107L	 TBP-1007 (AA x3)
Antenna	X	X	 TAN-1090	 TAN-1060	X
Beltclip	 TBC-1003	X	 TBC-1007	 TBC-1006/1006S	X
Carrying Case	 ACE-5017	 ACE-5016TR	 ACE-5021	 ACE-5018	 ACE-5015
Aqua Pack	 AQA-5000	 AQA-5000	 AQA-5018	 AQA-5018	X
Cloning Cable	X	X	X	 TCC-1000	X
PC Program Cable	X	X	 TPC-5000	 TPC-5000	X

PMR/LPD RADIOS ACCESSORIES

PMR/LPD ACCESSORY LIST

LPD-200	LPD-400	LPD-500	TSC-3000R	TSC-100R	TX-150M
 AES-4211/4211TRS/4211TTRS	 AES-4211/4211TRS/4211TTRS	 AES-4211/4211TRS/4211TTRS	 AES-3220	 AES-3220	 AES-4212TRS/4212TTRS
X	X	X	X	X	 AMC-3010R
 ACG-3311	 ACG-3311H	 ACG-3311H	 ACG-3312L	 ACG-3311	 ACG-3312L
 TCG-1003S / TCG-1003T	 TCG-1004 / 1004T		 TCG-1006L	 TCG-1007F	 TCG-1006SQ
 TCGA-1001	 TCG-1004SM	 TCG-1004SM	 TCG-1007SM	 TCG-1007SM	 TCG-1007SM
 TBP-1001 (AAA x 4)	 TBP-1107 (AAA x 5)	 TBP-1107 (AAA x 5)	 TBP-1194L	 TBP-1006 (AAA x 3)	 TBP-1107L
X	 TAN-1050L	 TAN-1060L	 TAN-1040	 TAN-1042	 TAN-1070
 TBC-1003	 TBC-1005	 TBC-1005	 TBC-1006S	 TBC-1007	 TBC-1006 / 1006S
 ACE-5017	 ACE-5020	 ACE-5020	 ACE-5018	 ACE-5021	 ACE-5018W
 AQA-5000	 AQA-5018	 AQA-5018	 AQA-5018	 AQA-5018	 AQA-5018
X	X	X	 TCC-1000	 TCC-1000	X
X	X	X	 TPC-5040	 TPC-5040	X

TTI 2009

