





TTI makes difference Brings world together

## 2012\_2013 GENERAL PRODUCT CATALOGUE

**Downloaded from www.cbradio.nl** 

### **CONTENTS**

#### 1.CB RADIO

CB FEATURE TABLE 11 CB Feature Table

ACCESSORIES FOR CB TRANSCEIVERS 14 Handsfree(THF-100/100P) 15 DCDC-Converters/Din-Plates 16 CB Antennas

#### 2.HANDHELD RADIO

CONSUMER RADIO & PROFESSIONAL TRANSCEIVERS 18 PMR-121TX/506TX 19 TXL-446PM/TX-1446P/1447P 20 TXL-1000 21 TX-1000 22 WP1/WP1 Octo/Octo Plus

SCANNING RECEIVERS 24 TSC -100RA/3000R

MARINE VHF FM TRANSCEIVERS 26 TX-150H

HANDHELD RADIO FEATURE TABLE 27 Handheld Radio Feature Table

ACCESSORIES FOR HANDHELD RADIOS 28 Handheld Radio Accessory List



## **CB RADIOS**

Citizen Band Mobile Transceivers

TCB-550/560/771/881/775/880H/900/1100/R2000/TX-410

TCB-550 is designed to hang on any place in vehicle by its compact and slim size, but it still has powerful features including Multi-Band Capabilities.

Easy operation by simplified function selection is another big advantage.

The combination of conventional black housing and big LCD with the blue illumination encompasses a wide range of advanced technology.





Smallest sized, TCB-550 is equipped with the state-of -the-art technology of Auto Squelch which works perfectly in the FM mode. A simple clicking of the squelch control will always lead you to the manual squelch mode.

SQUELCH

#### **FEATURES**

- > Multiple Bands
- > 4 Watts Output Power
- > AM/FM Operation
- > Menu Mode (Beep Tone On/Off, TOT, Backlight Dimmer)
- > Emergency Channel (9/19)
- > Scan
- > Keypad Lock
- > Squelch Control (Auto/Manual)
- > Blue Illumination
- > Dimension (WxHxL): 124x37x135mm

#### **FEATURES**

- > Compact Size
- > 12/24 Volt Input
- > Multiple Band
- > 4W. Output Power
- > AM/FM Operation
- > DSS(Dynamic Squelch System)
- > Three Color Backlighting (Red/Blue/Purple)
- > Emergency Channel(9/19)
- > Scan
- > Dimension (WxHxL): 124x37x135mm

Affordable,
Attractive,
High performance
CB Radio
with the offers of
Astonishing
Features

TCB-560 , developing the performance of TCB-550, offers abundant features such as DSS(Dynamic Squelch System) that is one step advanced system, changeable Backlighting System and 12/24 Dual voltage operation. The components have changed to more reliable ones to guarantee unchangeable, less degradable performance.



#### **FEATURES**

- > 12/24 Volt Input
- > Multiple Bands
- > 4 Watts Output Power
- > AM/FM Operation
- > Menu Mode

(Beep Tone On/Off, TOT, Backlight Dimmer)

- > Emergency Channel (9/19)
- > Scan
- > Kevpad Lock
- > Remote Channel Up/Down
- > External Speaker Connection Jack
- > External S-Meter Connection Jack
- > Quick Channel Up/Down
- > Squelch Control
- > DSS (Dynamic Squelch Control System)
- > Blue Illumination
- > Dimension (WxHxL): 140x37x186mm

**Dynamic-**Sauelch Sustem! & Dual Voltage!

Succeeding most of the proven capability of TCB-770.

TCB-771 responds to the customer requirement for free connection to any power sources of vehicles this transceiver is used in.

**TCB-771** along with dual voltage capability will become a new market leader in the industry. TCB-771 has all the features and advantages of TCB-770 as well. Whether you are using the TCB-771 in a truck, car or at home, you will appreciate the ease of operation and excellent quality of communications. DSS (Dynamic Squelch System) adds to many a iov of operation.



**TCB-881** combining TCB-771 technology with extended professional features, provides the experiences of operations that you have never tasted before. The subtle adjustment of RF Gain and microphone gain supplies utmostly satisfactory feeling of receiving and transmitting voices. One touch memory channel keys offer conveniences to access your channels.

#### **Dunamic-**Sauelch Sustem! Professional&Dual Voltage!

DSS and 12/24 free voltage connection add to the variety of professional features that only the professionalists want to eniov.

#### **FEATURES**

- > 12/24 Volt Input
- > Multiple Bands
- > 4 Watts Output Power
- > AM/FM Operation
- > Menu Mode (Beep Tone On/Off, TOT, Backlight Dimmer)
- > Emergency Channel (9/19)
- > Scan
- > Kevpad Lock
- > Remote Channel Up/Down
- > External Speaker Connection Jack
- > External S-Meter Connection Jack
- > 4 Memory Buttons
- > Squelch Control
- > DSS (Dynamic Squelch Control System)
- > Blue Illumination
- > Quick Channel Up/Down
- > Local/DX Selector
- > CB/PA Selection
- > Dual Watch
- > ANL
- > MIC Gain Control
- > RF Gain Control
- > Dimension (WxHxL) :156x51x176mm



TCB-775 in addition to all the excellent features and functions of TCB-771, has more than 10W output power. Longer communication range will be another satisfactory benefit for your easy-touch.



#### IOW

TCB-775 is the CB transceiver that you must choose if you are experiencing a difficulty communicating in a metropolitan area. This guarantees clear audio and microphone in a congested area surrounded by a lot of buildings and vehicles.

#### **FEATURES**

- > Multiple Bands
- > High Output Power (FM10W)
- > AM/FM Operation
- > Menu Mode (Beep Tone On/Off, TOT, Backlight Dimmer)
- > Emergency Channel (9/19)
- > Last Channel Recall
- > Quick Channel Up/Down
- > Scan
- > Keypad Lock
- > Remote Channel Up/Down
- > External Speaker Connection Jack
- > External S-Meter Connection Jack
- > MIC Gain Control
- > RF Gain Control
- > Sauelch Control
- > Blue Illumination
- > Dimension (WxHxL): 140x37x186mm

#### **FEATURES**

- > Multiple Bands
- > High Output Power (FM 25W)
- > AM/FM Operation
- > Menu Mode (Beep Tone On/Off, TOT, Backlight Dimmer)
- > Emergency Channel (9/19)
- > Scan
- > Keypad Lock
- > Remote Channel Up/Down
- > External Speaker Connection Jack
- > External S-Meter Connection Jack
- > Quick Channel Up/Down
- > CB/PA Selection
- > Dual Watch
- > ANI
- > MIC Gain Control
- > RF Gain Control
- > Local / DX Selector
- > 4 Memory Buttons
- > Squelch Control
- > DSS (Dynamic Squelch Control System)
- > Blue Illumination
- > Dimension (WxHxL): 156x51x176mm

#### **DSS & 25 W**

TCB-880H provides maximum in features and power. This results in guaranteeing clear communications wherever you are.

Enjoy the best combination of power and features.

**TCB-880H** in addition to all the excellent features and functions of TCB-881 has MAX power of 25W. Well tuned audio response adds to the satisfactory benefit of the longest communication range.



#### **FEATURES**

- > Front Speaker
- > Short Body
- > 12/24 Volt Input
- > Multiple Band
- > 4W Output Power
- > AM/FM Operation
- > Optional Bluetooth Compatible Operation
- > DSS (Dynamic Squelch System)
- > NB (Noise Blanker)
- > Dual Color Backlighting (Blue/Red)
- > Emergency Channel(9/19)
- > Microphone Gain
- > Attenuation
- > Speaker Mute
- > Scan
- > Keypad Lock
- > Menu Mode
- > Dimension (WxHxL): 170x51x94mm

## Optional Bluetooth Compatible System Imbedded

with the optional Bluetooth compatible system imbedded, this short body CB radio offers all basically necessary features that most users prefer together with high power operation.10W

TCB-900 Front speaker CB radios are prevailing these days. Succeeding TTI's TCB-R2000 and TCB-1100, this new model also proposes high power speaker that is clear, deep, and loud enough. On the top of the usual convenient features, the optional Bluetooth compatible connection is available with any of the market purchased Bluetooth headsets.



# TCB-1100 has new design concept with Front speaker, Full DIN-Size, CTCSS, VOX, and many other amazing features. You can experience many operations that have never been tried by any CB radios before; Changeable back lighting color, tone



### **FEATURES**

## Front Speaker with Tone Selection

Why should we endure the mumbled audio sound generated from the bottom sides of the conventional CB transceivers? The front installed speaker delivers you better and clearer audio sound. You could take your partners to where there is no traffic by a tone selection, which is amazing.

- > 4W or 10W Version
  - > Multiple Bands
  - > 12V/24V
  - > AM/FM Operation
  - > Menu Mode (Beep Tone On/Off, TOT, Backlight Dimmer)
  - > Emergency Channel (9/19)
  - > Frequency Read-outs
  - > Memory
  - > Last Channel Recall
  - > Scan & Scan Memory
  - > Remote Channel Up/Down
  - > External Speaker Connection Jack
  - > External S-Meter Connection Jack
  - > Channel Up/Down
  - > Quick Channel Up/Down
  - > MIC Gain Control
  - > RF Gain Control
  - > DSS (Dynamic Squelch Control System)
  - > Dual Watch
  - > VOX
  - > Tone Selection
  - > Compander Circuit Selection
  - > Backlight Selection
  - > Selection of In-dash Mounting or Bracket Mounting
  - > Dimension (WxHxL): 189x57x165mm

## **TCB-R2000**

is the ultimate in mobile CB transceivers. Developed from the former TCB-1100 technology, this five way system has improved the materials and tuning for better audio reproduction.

The remote LCD unit, remote control unit and hands-free microphone are added for driver's convenience and safety.

A lot of information from the big LCD unit allows you to guickly and exactly admit the current situation surrounding you and your vehicle.



#### **5WAY SYSTEM**

- Transceiver
- Microphone
- Remote LCD Unit
- Remote Control Unit
- Hands-free Microphone



#### **INSTALLATION**

TC3 R2000

TX-410 is the ideal VHF Low-Band Mobile Radio for reliable communications in the vehicles by combining the key requirements of high-end users: reliability, durability, functionality and performance. No other compact VHF Low-Band Mobile Radio can deliver so much versatility and functionality with its affordable budget. Well sized and backlighted Read-outs enhances the vision and helps finding where you are.

#### **FEATURES**

- > 41-48MHz Band
- > PC Programmable
- > 12.5KHz / 25 KHz Step
- > Menu Mode
- > 256 Channel Capacity
- > CTCSS Tone Capability
- > 4 Memory Channels
- > 20 Watts Output Power

- > Scan/ Scan Memory
- > 4 Memory Channels
- > Keypad Lock
- > Sauelch Control
- > Frequency Read-outs
- > Monitor
- > Dimension (WxHxL): 156x51x176mm

#### 20 Watts

This will be a real best buy for anybody who likes to be a practical investor. A good question will be emerged once this transceiver is tried, why more money should be paid.

#### **FEATURES**

- > 12/24 Volt Input
- > Multiple Bands
- > High Output Power (FM 4W or 10W)
- > AM/FM Operation
- > Graphic Channel Display
- > Graphic Volume Display
- > ID Writing
- > Menu Mode (Beep Tone On/Off, TOT, Backlight Dimmer)
- > Emergency Channel (9/19)
- > Programmable Function Kev
- > Easy Band Selection
- > Scan & Scan Memory
- > DIN Adaptation Kit
- > PC Programmable
- > Frequency Read-outs
- > Compander
- > CTCSS Tone
- > Attenuation
- > Extra PTT Capability (ex : Foot PTT)
- > VOX
- > Extra Programmable Channels
- > Speaker Mute
- > Kevpad Lock
- > Remote Channel Up/Down
- > External Speaker Connection Jack
- > External S-Meter Connection Jack
- > AMG (Auto Microphone Gain)
- > Squelch Control&DSS (Dynamic Squelch Control System)
- > Backlight Selection(3Colors)
- > Dimension (WxHxL): 189x57x165mm



### **CB FEATURE TABLE**

MODEL LIST UP	TCB-550	TCB-560	TCB-771	TCB-881	TCB-775	TCB-880H	TCB-900	TCB-1100	TCB-R2000	TX-410	REMARK
Multi Band	X	Х	х	Х	X	X	X	Х	х	256 Chs.	
Output Power	4W	8W/4W	4W	4W	10W/4W	25W/4W	10W/4W	10W/4W	10W/4W	20W	FM
LCD Display	X	×	×	x	x	x	X	X	Separate	X	IM
MIC Jack	X	X	X	X	X	X	X	X	x	x	
Microphone	X	X	X	X	x	X	X	X	x	X	
Squelch Control	Auto&Manual	DSS&Manual	DSS&Manual	DSS&Manual	Manual	Manual	DSS&Manual	DSS&Manual	DSS&Manual	Manual	
On/Off,Volume Control	X	X	x	X	X	X	X	х	x	Х	
Channel 9/19	X	x	x	x	x	X	X	х	x	-	
AM/FM	X	X	x	х	×	×	X	X	X	-	
Scan	Х	x	x	х	X	x	X	х	x	х	
Band Selection	Х	x	x	х	x	x	X	х	x	-	
Antenna Jack	Х	x	x	x	x	×	X	x	x	х	
Ext.Audio Jack	Х	x	x	x	X	x	x	x	x	Х	
Back Lighting	Х	Color Selection	x	X	x	x	Color Selection	Color Selection	Color Selection	х	
12V/24V	12V	12V/24V	12V-24V	12V-24V	12V	12V	12/24V	12V	12V/24V	12V	
Speaker Location	Down	Down	Down	Down	Down	Down	Front	Front	Front	Down	
Menu Mode	Х	x	х	х	x	X	X	х	х	х	Scan Delay Time/ Back Light, Dimmer & Others
Microphone Keys	-	-	Up/Down/Lock	Up/Down/Lock	Up/Down/Lock	Up/Down/Lock	X	Up/Down/Lock	Up/Down/Lock	-	Diffiller & Others
RF Gain Control	-	-	-	-	х	х	Attenuation	-	Attenuation	-	
MIC Gain Control	-	-	-	-	X	X	X	-	Auto&Manual	-	
Quick Up/Down	-	-	Rubber Button	Rotary Switch	Rubber Button	Rotary Switch	-	Rotary Switch	Rotary Switch	-	
LCR	-	-	x	X	X	X	-	X	-	-	
S-Meter Jack	-	-	х	х	Х	х	-	Х	x	-	
Channel Memory	-	-	-	х	-	Х	-	х	-	Х	
Dual Watch	-	-	-	х	-	X	-	х	x	Х	
PA Jack	-	-	-	х	-	X	-	X	-	-	
CB/PA Selector	-	-	-	х	-	Х	-	-	-	-	
ANL/Off Selector	-	-	-	х	-	Х	-	-	-	-	
Local/DX Selector	-	-	-	x	-	Х	-	-	-	-	
Tone Channel	-	-	-	-	-	-	-	х	х	х	
VOX	-	-	-	-	-	-	-	х	х	-	38CTCSS
Frequency Readsouts	-	-	-	-	-	-	-	-	х	х	
Channel Spacing	-	-	-	-	-	-	-	-	-	х	12.5/25KHz
PC Programmable	-	-	-	-	-	-	-	-	Extra Channels	х	
Remote Control Unit	-	-	-	-	-	-	-	-	х	-	
VOX Microphone	-	-	-	-	-	-	-	-	х	-	
Remote LCD Unit	-	-	-	-	-	-	-	-	х	-	
Bluetooth Compatible	-	-	-	-	-	-	х	-	-	-	
NB (Noise Blanker)	-	х	-	-	-	-	х	-	-	-	







Accessories for CB Transceivers

Handsfree System / External Speakers/ DC-DC Converters/ Din-Plates / CB Antennas

## Handsfree System The Handsfree system for CB Radio and Land Mobile

Radio offers the reliability of performance with refine cosmetic design. The microprocessor controlled functions are guite punctual and well operative. It goes well with any CB brands.

> A Good Match with Any CB! Along with its compact design controlled by the most updated wintrollogy by the micro-processor technology, THF-100&THF-100P enable you to enjoy easy and comfortable operation.

Drive fun with TTI Handsfree!


### THF-100/100P



#### **FEATURES**

- > Electrically Controlled
- > Handsfree On/Off
- > Time Out Timer -1.2.3 Minutes
- > TX&RX LED
- > Sensitive Microphone
- > Long Enough Connection Wire
- > Dimension (WxHxD): 40x110x19.5mm

#### INSTALLATION



## **External Speakers**

The most suitable external speakers for TTI transceivers and for other brands.









ı	Impedance	Power Output	Speaker Size	Cord Length	Connector	Dimension	Weight	
	8 ohm	3W Max.	57x57 mm	2.0mm	3.5mm Mono Plug	80x57x45 mm	170g	
	8 ohm	5W	50x90 mm	188mm	3.5mm Mono Plug	128x66x57 mm	250g	
	8 ohm	5W	77x77 mm	2.0mm	3.5mm Mono Plug	125x106x39 mm	250g	

#### **SPECIFICATIONS**

	HI CONTRACTOR	MA Statement Committee Com	EE Some Wolfage Converter	Santa Made Voltage Converter	tti
	TDC-5A	TDC-10A	TDC-15A	TDC-20A	TDC-60A
■ Input Voltage	18V-32V	18V-32V	18V-32V	18V-32V	18V-32V
■ OutputVoltage	12V ±5%	12V <u>+</u> 5%	12V <u>+</u> 5%	12V <u>+</u> 5%	12V <u>+</u> 5%
■ OutputCurrent	5A	10A	15A	20A	60A
■ Max.Efficiency	>90%	>90%	>90%	>90%	>90%
■ Voltage Ripple	<120mV	<120mV	<120mV	<120mV	<120mV
■ Voltage Stop	14V ±0.5V	14V±0.5V	14V±0.5V	14V±0.5V	14V±0.5V
■ Protect Temperature	50°C ±20%	50°C ±20%	50°C ±20%	50°C ±20%	50°C ±20%
■ V o l u m e	82x89x47mm	104x89x47mm	104x89x47mm	182x89x47mm	200x265x50mm
■Weight	0.4kg	0.5kg	0.6kg	0.8kg	2.5kg

# DC-DC Converters

The most suitable DC-DC Converters for TTI transceivers and for other brands



## **DIN-PLATES**

TTI supplies rigidly designed and endurable DIN-PLATE for TTI transceivers and also for other brands.



<b>DIMENSION</b>	DIMENSION	CB MODEL
<b>▼</b> TDP-1000	↑ 57mm ↓	For TCB-550/560
<b>■</b> TDP-2000	↑ 57mm ↓	For TCB-771/775
<b>■</b> TDP-3000	↑ 57mm ↓	For TCB-881/880H
<b>■</b> TDP-4000	↑ 57mm ↓ ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ←	For TCB-1100/R2000
TDP-5000	↑ 57mm ↓	For TCB-900

## **CB ANTENNAS**

#### **Antenna /CBER-X14S FEATURES**

> Frequency: 26.8-27.6MHz

> SWL: ≤1.2:1

> Max.Power: 35W Continuous

250W Short time

> Impedance : 50ohm > Whip length: 580mm > Adjustment : 0-90 °

> Cable Length: RG58/157"

> Polarity: Vertical

> Connector : UHF MALE(PL-259)

> Material : Copper Stainless Steel

## 26.8MHz SWR adjusting system

## **FEATURES**

#### Antenna /CBER-821S

> Frequency: 26.5-28MHz

> SWI : <1.2:1

> Max.Power: 300W Continuous 600W Short time

> Bandwidth as S.W.R. 2:1: 1110KHz

> Impedance : 50ohm > Whip length: 1400mm > Polarity: Vertical

> Connector: UHF MALE(PL-259)

> Material : Copper Stainless Steel



SWR adjusting system

#### **Antenna /CBER-835**

> Frequency: 26.5-28MHz

> SWL: ≤1.2:1

**FEATURES** 

> Max.Power : 35W Continuous

250W Short time

> Impedance : 50ohm > Whip length: 1200mm > Adujustment : 0-90° > Cable Length: RG58/157" > Polarity: Vertical

> Connector : UHF MALE(PL-259) > Mounting Hole: Φ12.5mm > Material : Copper Stainless Steel

#### **FEATURES**

#### Antenna /CBER-145

> Frequency: 26.5-28MHz

> SWL: ≤1.2:1

> Max.Power: 300W Continuous

600W Short time

Hole Installation

> Bandwidth at S.W.R.2:1: 1110KHz

> Impedance : 50ohm > Whip length: 1400mm

> Polarity: Vertical > Connector : UHF MALE(PL-259)

> Material : Copper Stainless Steel





#### Antenna /CBER-824S

> Frequency: 26.5-28MHz

> SWL: ≤1.2:1

> Max.Power: 50W Continuous 150W Short time

> Bandwidth at S.W.R.2:1: 420KHz

> Impedance : 50ohm > Whip length: 620mm > Cable Length: RG58/157" > Polarity : Vertical > Base dia: 85mm

> Connector : UHF MALE(PL-259) > Material : Copper Stainless Steel



SWR adjusting system



#### **FEATURES Antenna / CBER-875**

> Frequency: 26.8-27.6MHz

> SWL : ≤1.2:1

> Max.Power : 30W Continuous 150W Short time

> Bandwidth at S.W.R.2:1: 650KHz

> Impedance : 50ohm > Whip length: 590mm > Cable Length: RG58/157"

> Polarity: Vertical > Base dia: 78mm

> Connector : UHF MALE(PL-259) > Material : Copper Stainless Steel



SWR adjusting system





## HANDHELD RADIOS

Consumer Radios & Professional Transceivers

PMR-121TX/PMR-506TX/TXL-446PM/TX-1446P/TX-1447P/TXL-1000/TX-1000/WP1/WP1 OCTO/WP1 OCTO PLUS

TTI PMR 446 Radio Series always offer differences in design, quality and performance. This is already market proven by years of customer interface and feedback.

## **PMR-121TX**

#### Compact But Versatile

PMR-121TX with its compact elegant design but full features like CTCSS.VOX.SCAN, and many others, is truly affordable PMR-446 radio in the world. In addition, it has excellent quality touch to satisfy the consumer radio users for many years.

Menu driven feature selection makes PMR-121TX very user friendly and allows the users to quickly set up their choices of functions.



#### TTI PMR 446 Radio Series

#### **FEATURES**

- > 8 Channels
- > 38 CTCSS
- > VOX Mode
- > Scan
- > Battery Status Indicator
- > Call Ringer (3Kinds)
- > Roger Beep Tone On/Off
- > Button Beep (Kevtone) On/Off
- > Keypad Lock
- > LCD Back Lighting
- > Fixed Antenna
- > External Speaker, MIC, Chg.Jack
- > Desk Top Charger : Dual

#### **Accessories**

- > Power Adaptor
- > TCGA-1001HSM



- > Farset
- > AES-4211S/P



- > Battery (AAA x 3) > TBP-1006
- > Dual Charger Cradle > TCG-1008



#### TTI PMR 446 Radio Series

#### **FEATURES**

- > 500mW
- > 8 Channels
- > 38 CTCSS
- > Intercom
- > VOX on/off
- > Beep Tone

- > Flash Light
- > Call
- > Scan
- > Monitor
- > Room Monitor
- > Smart Charger

#### INTERCOM for **Bikes**



## PMR-506TX

#### SLIM But Full-Featured Design

PMR-506TX with its aluminium metal cabinet and rugged plastic frame has excellent pocket-sized, but full featured

design in this slim and sleek

shape.

A great range of radio features are supplemented with an internal Li-ion battery, being able to deliver more than 8hours' operation in normal condition. Also, it comes with an intelligent charger.



#### **Accessories**

- > Power Adaptor > TCGA-1007SMD
- > Earset
- > AES-4212TTRS
- > Intercom Connector > AIC-1000
- > Carrying Case > ACE-5016TH







## TXL-446PM

#### PC Programmable Capacity

TXL-446PM is the ideal for both commercial and consumer use with its PC Programmable capability of channels as you may need with various different requirement of usage.

#### Long Battery Life

High capacity AAx3, Ni-MH battery can deliver more than 15hours operation between chargers. Quick charging(4-5hours) is available.

#### Smart Charging System

Each radio is supplied with an intelligent desktop charger.

#### Flexible Rubber Antenna

Soft and flexible antenna with high quality elements offers easy-carry.



#### TTI PMR 446 Radio Series

#### **FEATURES**

- > PC Programmable
- > 18 Channels (8 Fixed + 10 Programmable)
- > 38 CTCSS + 104DCS
- > More than 15 Hour's Battery Life
- > Rotary Volume Switch
- > Scan
- > VOX
- > Call
- > Monitor

#### **Accessories**

- > Power Adaptor
- > TCGA-1007SM





> AES-4212TTRS



> Charging Cradle

> TCG-1007SQ



> Speaker Microphone

> AMC-3010R



#### *IP54*

TX-1446P is the ideal for reliable communications in the toughest environment with its proven IP54 structures.

#### Menu Driven System as well as PC Programming

Easy to operate and highly adaptable, through the use of menu driven configuration system as well as pc programmable function.

#### Smart Charging System

Each radio is supplied with an intelligent desktop charger. (Semi Quick Charger)

#### Compact, Handy Design, but Rugged

No other compact commercial PMR446 Radio can deliver so much versatility and functionality in this compact and handy size. This is also rugged and meeting military standard.

#### **Accessories**

- > Car Adaptor > Earset
- > Speaker Microphone > Charging Cradle > Battery Pack
- > TBP-1107L
- > TCG-1006SQ







#### TTI PMR 446 Radio Series

#### **FEATURES**

- > PC Programmable
- > 8 Channels
- > 50 CTCSS + 104DCS
- > More than 16 hour's Battery Life
- > Li-ion Battery (1000mAh)
- > Rotary Volume Switch
- > Rugged, Impact-Resistant Construction
- > IP54 Water Resistant
- > Semi-Quick Charger (4~5hours)
- > MIL-Standard 810.C.D.E&F









## TXL-1000

#### **FEATURES**

- > 446MHz Band
- > PC Programmable
- > 256 Channels
- > 73CTCSS & 208DCS
- > 500mW/7W Output Power(UHF Radio)
- > 12.5KHz (Please ask of 25KHz Step)
- > Compander

- > Scrambler
- (Please ask of UHF(420-450MHz)Band) > Optional Bluetooth Compatible Operation
  - > Dual Pocket Quick Charger
  - > Clone Function
  - > VOX
  - > IP55 Water Proof
  - > Heavy Duty Battery Pack(2200mAh)
  - > ID Writing

#### **Accessories**

- > Car Adaptor > ACG-3312L

> Headset > AES-4212TTRS



> Speaker Microphone





> Program Cable > TPC-5000U



> Charging Cradle > TCG-1010FD



> Battery Pack > TBP-2007L



> Power Adaptor > TCGA-1007DC




> Cloning Cable > TCC-1000



> Bluetooth Headset

> AHS-1000





#### Bluetooth Compatible Operation(Optional)

Perfectly compatible with any of standard market purchasible bluetooth headsets, this radio offers the up-to-dated hands free solution.

#### Scrambler

**IP55 Dust** 

& Water-Proof

TXL1000

tti

The imbedded scrambler protects your conversation from any other party.

#### Compander

The compander supports you with comfortable listening to the other party's. This is useful especially when a headset is exploited.

#### **High Power Unit**

The max. 7watt power extends your communication ranger over your expectiation.

#### Long Battery Life

High capacity battery guarantees your the high power operation for a satisfactory time span.

#### **DTMF Tone**

This preembled DTMF tone prevents you from failing in catching the first word from your partners.



#### **IP67 Submersible Unit**

TX-1000 is IP67 level certified water-proof and submersible radio in connection with the TTI's proven rugged mechanical technology to follow the military standard.



#### Bluetooth Compatible Operation(Optional)

Perfectly compatible with any of standard market purchasible bluetooth headsets, this radio offers the up-to-dated hands free solution.

#### Five(5) Tone and Two(2) Tone System

5 tone and 2 tone modes offer selective calling and many convenient operations. The 5 tone also make it possible to remotely control the stun and kill function or revive the stunned radio.

#### Scrambler

The imbedded scrambler protects your conversation from any other party.

#### Compander

The compander supports you with comfortable listening to the other party's. This is useful especially when a headset is exploited.

#### **Dual Pocket Charging System**

Two battery packs are charged in one desk top charger with two pockets

Your convenience is maximized upon abnormally high battery consumption being required.

## TX-1000

#### **FEATURES**

- > 446MHz Band (Please ask of UHF(400-470MHz)Band) > Compander
- > PC Programmable
- > 512 Channels

**IP67** 

- > 52CTCSS & 208DCS
- > 500mW/5W Output Power(UHF)Radio > Clone Function
- > 5 tone and 2 tone
- > 12.5KHz (Please ask of 25KHz Step) > IP 67 Water Proof Level
- > Alpha-numeric Channel Display

- > Break-in function
- > Scrambler
- > Optional Bluetooth Compatible Operation
- > Dual Pocket Quick Charger
- > Quiet Talk Function
- > Heavy Duty Battery Pack (2600mAh)

#### **Accessories**

- > Car Adaptor
- > ACG-3312L



- > Headset
- > AES-4212TTRS



- > Speaker Microphone
- > AMC-3010R



> Program Cable > TPC-5000U



> Charging Cradle > TCG-1010FD



> Battery Pack > TBP-2607L



- > Power Adaptor
- > TCG-1007DC

TX1000

tti



> Cloning Cable





- > Bluetooth Headset
- > AHS-1000



**TTI LPD Radio Series** LPD is another field of TTI's interest. Even these are similar to PMR-446 radios, LPD radios need efficient power control technology to manage the output power better. TTI's experience proven technology leads TTI LPD radios to the top class in this category.

## WP1/WP1 Octo/WP1 Octo Plus

#### **Tourist Radio**

This is what tourists need, what guides need.

Tourist never miss their team and group.

Guides never worry about careless followers who might go astray.

No more shout!

#### WP1 / WP1 OCTO / OCTO Plus

- > Long Battery Life (More than 30hours)
- > Optional Multi Charger System
- > Group Indication Channel
- > High Visibility Display
- > Multiple ISM Bands

#### **FEATURES**







#### **Accessories**

- > Earphone
- > AES-4213



- > Carrying Case
- > ACE-5015 ACE-5023 / 5023P





> TBP-1007H

> Battery (AAx3)

WP1



- > Power Adaptor
- > TCGA-1001SM4



- > Suitcase Charger
- > TSC-WP1/Trio Octo/OctoPlus





TSC-100RA/TSC-3000R

TTI NEW RECEIVER TTI's receivers are capable enough to surprise experts as well as ordinary users, equipped with easy accessible keypad layouts, powerful memory and recall system.

## TSC-100RA

### Air Band, VHF Band, Low Band and WFM Broadcast Band

Focused on Air Band, VHF Band, Low Band (66~88MHz) and WFM Broadcast Band, this narrow band receiver prides itself of exceptionally high sensitivity combined with harmonious audio sound. Simplified function adds to its convenience of use. Clear vision of buttons and large LCD helps the operation. Inter-changeable use of rechargeable batteries and dry cells enhances the mobility.



#### > 66-88MHz, 88-108MHz, 103-136MHz, and 136-174MHz

- > Bluetooth Operation (Optional)
- > 10 Memory Banks
- > 200 Channel Memories
- > Various Frequency Steps
- > Desktop Charger (Optional)
- > Replaceable Antenna
- > High Quality Loud Speaker

#### Accessories

> Antenna > **TAN-1042** 



> Earphone > **AES-3220** 



> Battery (AAA x 3) > **TBP-1007** 



> Wall Charger > TCGA-1007SMD



#### **FEATURES**

- > Wide band up to 1,309MHz from 150KHz
- > 1300 Memory Units
- > 40 Expendable Manual Memory Banks
- > 2 Automatic Memory Banks
- > 1 Limited Search Memory Bank
- > 1 Dual Watch Bank
- > Well Defined Menu System in VFO Mode and in Memory Mode
- > Cloning Function
- > High Quality Audio Sound with 32 Steps of Volume Adjustment
- > Desktop Charger
- > High Capacity(1900mAh) Li-ion Batter Pack

## TSC-3000R

#### **Totally Versatile**

Capacity expendable bank system supports variety of customer needs. Harmonized automatic and manual setting combination facilities its operation.

Compact size associated with the light weight and high capacity Li-ion battery pack makes possible the whole day outdoor activity.

#### **Accessories**

- > Antenna > TAN-1040
- > Earphone > **AES-3220**



- > Battery Pack > TBP-1194L
  - 000



> Charging Cradle

> TCG-1006L



Marine VHF FM Transceivers

TX-150H

TTI MARINE RADIO This model is most simplified but highlights indispensable features that offer user convenient environment. The performance is also maximized.

## TX-150H

#### Extra Channels for Each Country

TX-150H emphasizes on the extra big sized superbright LCD. Combined with translucent back lighting buttons arrayed in the center, the radio prides itself of its splendid appearance in combination of green, white and black colors.

Super flexibility of the antenna adds to the convenience as well as the safety enhancement. Despite water-proof nature and ruggedness, this radio never loses in design and compactness combining TTI's up-to-date technology and high capacity Li-ion battery.



Marine - i

tti

- > Power Adaptor
- > TCGA-1007SM



- > Earset
- > AE4212TTRS



- > Speaker Microphone
- > AMC-3010RS



- > Charging Cradle > TCG-1006SQ
- > Battery Pack
- > TBP-1007L



#### **FEATURES**

- > Waterproof (IP54)
- > Power High / Low (6W/1W)
- > Super-Bright White Backlight LCD
- > Auto Squelch
- > Scan Function
- > Direct Access to CH16
- > Dual Watch
- > Triple Watch
- > Priority Channel Scan
- > Key Lock
- > USA/INT'L/CANADA CH
- > WX Alert (USA/CANADA)
- > Loud Speaker
- > External Standard Two Pin Jack
- > Super Flexible and Replaceable Antenna
- > Li-ion Battery Pack

















							100000		
Model List Up		PMR-121TX	PMR-506TX	TXL-446PM	TX-1446P TX-1447P	TXL-1000	TX-1000	WP1/OCTO OCTO Plus	TX-150H
Frequency		446MHz	446MHz	433/446MHz	433/446MHz	433/446MHz/More	433/446MHz/More	472MHz/More	VHF Marine
Channel		8	8	69/8	128	256	512	200/640	44
Output Power		500mW	500mW	500mW	4V/ 500mW	500mW/7W	500mW/5W	100mW/100mW	4W
Battery		AAA x 3	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion	AA x 3	Li-ion
Dimensions(HxWxD)		84 x 49 x 28.3mm	88 x 54 x 14.8mm	109 x 56 x 30mm	98 x 63 x 31mm	58 x 120 x 39mm	58 x 120 x 39mm	81 x 49.8 x 33mm	112 x 62.5 x 30mm
Battery Life	Ni-MH	9	-	15	-	-	-	30	-
(Hours,5:5:90)	Li-ion	-	8	-	16	about 20	33	-	8
CTCSS	-	38	38	38	50	73	52	-	-
DCS		-	-	104	104	208	208	-	-
Roger Beep (on/off ava	nilable)	Х	Х	Х	Х	PC Programmable	PC Programmable	-	Х
Antenna		Fixed	Fixed	Replaceable/Fixed	Replaceable/Fixed	Replaceable / Fixed	Replaceable / Fixed	Fixed	Replaceable
Power High / Low		-	-	Х	Х	х	Х	-	Х
Scan		Х	Х	Х	Х	PC Programmable	PC Programmable	-	Х
Dual Watch		-	-	Х	Х	PC Programmable	PC Programmable	-	Х
Triple Watch		-	-	-	-	-	-	-	Х
Monitor Key		-	Х	Х	Х	PC Programmable	PC Programmable	-	Х
LCD Back lighting		х	Х	Х	Х	Х	Х	Х	Х
Built-in Speaker		Х	Х	Х	Х	Х	Х	-	Х
Power on/off		Electrical	Electrical	Rotary Knob	Rotary Knob	Rotary Knob	Rotary Knob	Electrical	Rotary Knob
Volume Up/Down		Х	х	Rotary Knob	Rotary Knob	Rotary Knob	Rotary Knob	х	Rotary Knob
CALL Sound		3 kinds	3 kinds	5 kinds	5 kinds	5Kinds	PC Programmable	-	-
VOX		1 step	2 steps	3 steps	5 steps	3Steps	PC Programmable	-	-
Intercom		-	Х	-	-	-	-	-	-
Squelch Adjustment		-	-	Х	Х	Х	Х	-	Х
Key Tone		Х	On/Off	On/Off	On/Off	Х	PC Programmable	-	On/Off
Key Lock		Х	Х	Х	Х	Х	Х	х	Х
External Charging		Twin Charger	Smart Charger	Smart Charger	Smart Charger	Quick Charger	Quick Charger	Wall/Suit Case Charger	Smart Charger
Auto Power Save		Х	Х	Х	Х	Х	Х	Х	Х
SPK/MIC Jack		2.5 phi	2pin Standard	2pin Standard	2pin Standard	Х	Х	3.5 phi	2pin Standard
Cloning		-	-	-	Х	Х	Х	-	-
PC Programmable		-	-	Х	Х	Х	Х	Dependant on versions	-
Extra Channel Selection	n (Hidden)	-	-	-	-	Х	Х	-	Х
2Tone/5Tone		-	-	-	-	-	Х	-	-
Scrambler		-	-	-	-	Х	Х	-	-
IP Level		-	-	-	IP54	IP55	IP67	-	IP54
Bluetooth Compatible		-	-	-	-	x (option)	x (option)	-	-
DTMF Tone		-	-	-	-	Х	Х	_	-

### **ACCESSORIES FOR HANDHELD RADIOS**

	PMR-121TX	PMR-506TX	TXL-446PM	TX-1446P/1447P	TXL-1000
Earset	AES-4211 AES-4211SP	AES-4212TTRS	AES-4212TTRS	AES-4212TTRS	AES-4212TTRS
Speaker Microphone	х	х	AMC-3010R	AMC-3010R	AMC-3010R
Car Adaptor	ACG-3311S	ACG-3311D	ACG-3313L	ACG-3312L	ACG-3312L
Charger Cradle	TCG-1008	TCG-1009	TCG-1007SQ TCG-1007DSQ	TCG-1006SQ	TCG-1010FD
Power Adaptor	TCGA-1001HSM	TCGA-1007SMD	TCGA-1007SM	TCGA-1007SM	TCGA-1007DC
Battery	TBP-1006 (AAAx3)	TBP-1004T	TBP-1007 (AA x 3)	TBP-1107L	TBP-2007L
Antenna	-	-	TAN-1090	TAN-1060	TAN-1100
Belt Clip	TBC-1003 TBC-1003F	-	TBC-1008	TBC-1006	TBC-1009
Carrying Case	ACE-5017	ACE-5022 ACE-5022LC	ACE-5021	ACE-5018	ACE-5024
Aqua Pack	AQA-5000	AQA-5000	AQA-5018	AQA-5018	-
Cloning	-	-	-	-	TCC-1000
PC Program Cable	-	-	TPC-5000UA	TPC-5000 TPC-4000U	TPC-5000U

### **ACCESSORIES FOR HANDHELD RADIOS**

TX-1000	WP 1 & OCTO & OCTO PLUS	TSC-3000R	TSC-100R	ТХ-150Н
AES-4212TTRS	AES-4213 AMC-3012(M)	AES-3220	AES-3220	AES-4212TTRS
AMC-3010R	-	-	-	AMC-3010R
ACG-3312L	-	ACG-3312LL	ACG-3311D	ACG-3312L
TCG-1010FD	TSC-WP1/TRIO (Suitcase Charger)	TCG-1006L		TCG-1006SQ
TCGA-1007DC	TCGA-1001SM4	TCGA-1007SM	TCGA-1007SMD	TCGA-1007SM
TBP-2607L	TBP-1007H (AA x 3)	TBP-1194L	TBP-1007 (AAA x 3)	TBP-1107L
TAN-1100	-	TAN-1040	TAN-1042	TAN-1070
TBC-1009	-	TBC-1006	TBC-1008	TBC-1006
ACE-5024	ACE-5015 ACE-5023 ACE-5023P	ACE-5018	ACE-5021	ACE-5018W
-	-	AQA-5018	AQA-5018	AQA-5018 Adua Pack
TCC-1000	-	TCC-1000	-	Cloning
TPC-5000U	TPC-5000U4	-	-	PC Program



#### **HEAD OFFICE > SEOUL**

www.ttikorea.co.kr

#### **FACTORY> SHENZHEN**

6th Floor, Block A, Huayuan Industrial Zone, Fenghuang 1st Industrial Zone, Fuyong Town, Shenzhen City, CHINA Tel. +86 755 3325 5635 Fax. +86 755 3325 5632

www.ttichina.net